

راهنمای فارسی

JBL
TUNE 760 NC
هدفون بیسیم با حذف نویز



تهیه شده در بخش خدمات پس از فروش شرکت شاب

آدرس: تهران، چیتزر، میدان ندا، پلاک ۵۸


تلفن: (۱۰ خط) ۲۲۶۸۶۸۱۸

www.shobtech.com
technical@shobtech.com



نکته مهم: امکان پاسخگویی به تماس تلفنی در این کالا وجود دارد ولی این کالا جهت استفاده به عنوان "هندزفری" مناسب نیست.


محتویات داخل جعبه



هدفون - کابل صوتی ۳.۵ میلیمتری - کابل شارژ - راهنما

روشن کردن و اتصال


**POWER
ON &
CONNECT**



روشن کنید و به صورت خودکار
وارد حالت pairing شوید


برای اتصال "JBL TUNE760NC" را انتخاب کنید

pair کردن دستی




فرمان دكمه


BUTTON COMMAND



استفاده با سیم



اتصال MULTI-POINT




۱. برای سوئیچ منبع موزیک، موزیک را روی دستگاه فعلی متوقف کنید و پخش روی دستگاه دوم را انتخاب کنید.

۲. تماس تلفنی همیشه اولویت خواهد داشت.


۳. اگر یک دستگاه از محدوده بلوتوث خارج شود یا خاموش شود، ممکن است لازم باشد که به صورت دستی دستگاه باقیمانده را دوباره وصل کنید.

۴. برای قطع شدن MULTI-POINT، روی دستگاههای بلوتوثی، "FORGET THIS DEVICE" را انتخاب کنید.



شارژ

CHARGING



عملکرد چراغ

LED BEHAVIORS

The diagram illustrates the LED behaviors of the JBL TUNE 760 NC headset. It shows the headset with various LED indicators and their corresponding functions:

- شارژ کم باتری** (Low battery): Indicated by a red light.
- در حال شارژ** (Charging): Indicated by a red light.
- کاملاً شارژ شده است** (Fully charged): Indicated by a green light.
- روشن / خاموش** (On / Off): Indicated by a blue light.
- در حال اتصال بلوتوث** (Bluetooth connection): Indicated by a blue light.
- بلوتوث وصل شده است** (Bluetooth connected): Indicated by a blue light.
- ANC روشن** (ANC On): Indicated by a blue light.

مشخصات : TUNE 760 NC

TECH SPEC

Model:	TUNE760NC
Driver size:	40 mm Dynamic Driver
Power supply:	5 V --- 1 A
Weight:	220 g / 0.485 lbs
Headset battery type:	Polymer Li-ion battery (610 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music play time with BT on and ANC on:	35 hrs
Music play time with BT on and ANC off:	50 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity passive mode:	103 dB SPL/1 mW
Sensitivity active mode:	95 dB SPL/1 mW
Maximum SPL:	95 dB
Microphone sensitivity:	-30 dBV/Pa
Bluetooth version:	5.0
Bluetooth profile version:	A2DP 1.3, AVRCP 1.5, HFP 1.6
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitted power:	< 10 dBm
Bluetooth transmitted modulation:	GFSK, π/4 DQPSK, 8DPSK
Maximum operation temperature:	45 °C